



# la marzocco

1553 NW Ballard Way, Seattle, WA 98107

La Marzocco  
Mazzer

Phone: 206.706.9104 (x101 Tech.)  
Avail.: 6:00 a.m.–5:30 p.m. M–F  
Fax: 206.706.9106  
Web: www.lamarzoccousa.com

## Preventative Maintenance Checklist Strada 12 Month

Please fill out all sections completely

Customer Name: _____	Phone: _____
Location Address: _____	
Machine Model: _____	Serial Number: _____

### All Models

- |  |   |
|--|---|
| <input type="checkbox"/> Test Water, Pre and Post Filtration, with La Marzocco Water Test Kit (F.9.0000) and Complete Form Below<br><input type="checkbox"/> Clean and Backflush Machine<br><input type="checkbox"/> Replace Group Gaskets<br><input type="checkbox"/> Replace Diffuser Screens (F.3.040)<br><input type="checkbox"/> Inspect Drain System<br><input type="checkbox"/> Replace Steam Valve Anti-Suction Valve (L192)<br><input type="checkbox"/> Clean Auto-Fill Probe and Test Operation<br><input type="checkbox"/> Test Flow Rate (milliliters in 30 seconds)<br><input type="checkbox"/> Test Brew Temperature<br><input type="checkbox"/> Test Brew Pressure<br><input type="checkbox"/> Test All Switches for Proper Operation<br><input type="checkbox"/> Inspect Portafilter Baskets | <input type="checkbox"/> 8mm (H.3.001) <input type="checkbox"/> 9mm (H.3.002)<br><input type="checkbox"/> Replace Steam Boiler Vacuum Breaker (L193)<br><input type="checkbox"/> Replace Pressure Safety Valve (B.2.024)<br><input type="checkbox"/> Operational <input type="checkbox"/> Replaced Parts: _____<br>Group 1: _____ Group 2: _____ Group 3: _____<br>Set Value: _____ Actual: _____<br>Set Value: _____ Actual: _____<br><input type="checkbox"/> Operational <input type="checkbox"/> Replaced Parts: _____<br><input type="checkbox"/> Acceptable <input type="checkbox"/> Replaced With Part Number: _____ |
|--|---|

### If EE or EP Model

- Clean Steam Valve and Proportional Solenoid

### If MP Model

- Rebuild MP valve with SA600/K2.
- Rebuild Steam Valves (B.1.007.K)

La Marzocco Water Specifications				Your Test Results	
Value	Units	Minimum	Maximum	Pre Filtration	Post Filtration
Total Dissolved Solids (TDS)	ppm	90	150		
Total Hardness	ppm	70	100		
Total Iron	ppm	0	0.02		
Free Chlorine	ppm	0	0.05		
Total Chlorine	ppm	0	0.1		
pH		6.5	8		
Alkalinity	ppm	40	80		
Chloride	ppm	0	30		
Pressure: 45–80 psi (3–5.5 bar)		Flow Rate: 2 gal./min. (≈ 8 l/min.)		1 gpg US = 17.1 ppm = 17.1 mg/l	
Brand & Model of Water Filtration System:					

Service Company: \_\_\_\_\_

Technician: \_\_\_\_\_ Technician Signature: \_\_\_\_\_

Notes: \_\_\_\_\_

Customer Signature: \_\_\_\_\_ Name (Please Print): \_\_\_\_\_